

November-02-12 2:42:31 PM

92610

Page 1

N900040100

Setup Start *NS1*

Stop *NS2*

Stop *NS2*

g

Cust Item ID:

8

Customer:

Reference:

Run Start *NR1*

Stop ***NR2***

[illegible]

1000

Work Order ID 92610***92610***

Page 2

November-02-12 2:42:31 PM

Item ID: D3492-043

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Plug Assembly

Start Date: 11/02/12 Start Qty: 8.00

8

Cust Item ID:

Required Date: 11/02/12 Req'd Qty: 8.00

8

Customer:

Reference:

Approvals:

Process Plan: _____

Date: _____

Tooling: _____

Date: _____

Run Start ***NR1***

QC: _____

Date: _____

SPC (Y/N): _____

Date: _____

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

170

QC21- Final Inspection - Work Order Release

0.00

170

QC

Memo

0.00

Quality Control

MLJ 12-11-02

12-11-02

Picklist Print

November-02-12 2:42:31 PM

Page 1

Work Order ID: 92610
Parent Item: D3492-043
Parent Item Name: Plug Assembly

Start Date: 11/02/12
Start Qty: 8.00

Required Date: 11/02/12
Required Qty: 8.00

Comments: IPP Rev: A 06.03.21 New Issue JLM
IPP Rev: B 06-08-28 As per Rev B JLM
IPP Rev: C 07-12-06 Rev C dwg DD verified by: EC
IPP Rev: D 08-05-07 add note to count qty DD verified by: JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3492-5 Plug		Manufactured	No				Each	155.0000		8			

Location	Loc Qty	Loc Code
FP001	40	
90322	40	
FP002	40	
89291	40	
FP-A	75	
81967	5	
83099	3	
83529	4	
85461	1	
86865	2	
91610	60	


Purchased No Each 128.0000

Location	Loc Qty	Loc Code
FP001	128	
116582	5	
117291	2	
117887	53	
119623	36	
121825	10	
122993	22	

VAS1611-013
O-RING

D3492-XX PLUG
(SEE TABLE)

NAS1611 O-RING
(SEE TABLE)



D3492-XXX PLUG PARTS LIST

QTY -041	QTY -043	QTY -045	QTY -047	QTY -049	QTY -051	QTY -053	PART NUMBER	DESCRIPTION
X							D3492-041	PLUG ASSEMBLY
	X						D3492-043	PLUG ASSEMBLY
		X					D3492-045	PLUG ASSEMBLY
			X				D3492-047	PLUG ASSEMBLY
				X			D3492-049	PLUG ASSEMBLY
					X		D3492-051	PLUG ASSEMBLY
						X	D3492-053	PLUG ASSEMBLY
1							D3492-1	PLUG
	1						D3492-3	PLUG
		1					D3492-5	PLUG
			1				D3492-7	PLUG
				1			D3492-9	PLUG
					1		D3492-11	PLUG
						1	D3492-13	PLUG
		1					NAS1611-005	O-RING
			1				NAS1611-007	O-RING
1							NAS1611-010	O-RING
						1	NAS1611-012	O-RING
	1						NAS1611-013	O-RING
					1		NAS1611-015	O-RING
				1			NAS1611-016	O-RING

NOTES:



1) O-RING: POSSIBLE SUPPLIER P/N: NAS1611-XXX OR PARKER 2-XXX

W/092600

RELEASED
2011-05-30

D	INCORPORATED DEO D3492-C-1. SHT 2 DIM C FOR -1 WAS 0.055. (SEE CAR11-048)	AJS	11.05.24
C	ADD -049/-051/-053, CHANGE DRAWING FORMAT	PH	07.10.05
B	ADD -047; UPDATE DIM A FOR -045	PH	08.05.11
A	NEW ISSUE	PH	06.01.04
REV.	DESCRIPTION	BY	DATE
DESIGN	PH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. D
MFG. APPR.	<i>[Signature]</i>	D3492	SHEET 1 OF 2
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	PLUG	2:1
DATE	11.05.24	<small>COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

8 7 6 5 4 3 2 1



DETAIL D

D3492-XX PLUG

D3492-XX PLUG MACHING DETAILS

P/N	A	B	C	MATERIAL SPEC	
D3492-1	0.625	0.394	0.050	M6061T6R0.625	△
D3492-3	0.750	0.582	0.045	M6061T6R0.750	
D3492-5	0.375	0.188	0.045	M6061T6R0.375	
D3492-7	0.500	0.270	0.045	M6061T6R0.500	
D3492-9	0.938	0.750	0.045	M6061T6R1.000	
D3492-11	0.850	0.664	0.045	M6061T6R0.875	
D3492-13	0.750	0.510	0.045	M6061T6R0.750	△

NOTES:

- 1) MATERIAL: ALUMINUM 5052-H32 OR 6061-T6 OR 1100-0 PER QQ-A-225/7 (5052) OR QQ-A-225/8 (6061) OR QQ-A-200/8 (6061) OR QQ-A-225/1 (1100) (REF. DART MATERIAL SPEC M6061T6R0.000)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT WHITE GLOSS (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: N/A

RELEASED
2011-05-30

DESIGN	PH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	A/S		
CHECKED	JES	DRAWING NO. D3492	REV. D
MFG. APPR.			SHEET 2 OF 2
APPROVED		TITLE PLUG	SCALE 4:1
DE APPR.		COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DATE	11.05.24		

8 7 6 5 4 3 2 1